FOR OFFICIAL USE ONLY

DECK LOG—TITLE PAGE
NAVPERS 716 (Rev. 4-56)

DECK LOG BOOK

OF THE

U.S.S. ABBOT

DD-629

IDENTIFICATION NUMBER

COMMANDED BY

A. H. CRAIG, , U. S. N.

Attached to ____ Division,
____ Squadron,
____ Flotilla,
____ Fleet,
____ Naval District,

Commencing 1 Sept. , 1961,
(zone time and date)
at Newport, Rhode Island ,
(location)
and ending 30 Sept. , 1961,
(zone time and date)
at Newport, Rhode Island
(location)

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT

Sept. 1 - 30, 19 (Day) (Date) (Month)

APPROVED:

EXAMINED:

U.S.N. COMMANDING

U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

3ND-P&PO 8231

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

3ND-P&PO 8231

USS ABBOT (DD629) ZONE DESCRIPTION Q +4 DATE FRIDAY (Day) 1 (Date) SEPTEMBER (Month), 19 61

AT/PASSAGE FROM PIER 1 BERTH 132, US NAVAL BASE, NEWPORT, RHODE ISLAND

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY	WEATHER	BAROMETER	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (knots)	(Miles)	(Symbols)	(Inches)	Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	100	2	7	BKN	29.85	74	72						
02	100	2	7	BKN	29.85	74	72						
03	103	2	7	BKN	29.85	74	72						
04	102	2	7	BKN	29.85	73	71						
05	102	2	7	BKN	29.86	74	71						
06	100	2	7	BKN	29.86	74	71						
07	102	2	7	BKN	29.86	73	70						
08	102	3	6	BKN	29.89	74	71						
09	120	3	8	BKN	29.89	79	75						
10	135	3	8	BKN	29.89	78	74						
11	145	3	8	SCT	29.89	80	76						
12	160	3	8	SCT	29.89	80	76						
13	170	2	8	SCT	29.90	82	78						
14	170	3	8	SCT	29.90	84	80						
15	180	3	8	SCT	29.90	84	80						
16	180	3	8	SCT	29.90	84	80						
17	170	3	8	SCT	29.89	84	80						
18	170	3	8	SCT	29.88	84	80						
19	155	3	8	SCT	29.88	84	80						
20	110	3	7	SCT	29.89	79	75						
21	200	3	7	BKN	29.89	75	71						
22	205	3	7	BKN	29.90	74	70						
23	205	3	6	BKN	29.90	74	70						
24	205	4	6	BKN	29.90	74	71						

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)

TO _____ (ZT) _____ (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 Moored starboard side to U.S.S. Arcadia (AD-23) in a nest of three ships in Berth 132 at Pier 1, U.S. Naval Station, Newport, Rhode Island. Ships outboard from the pier are: Arcadia, Abbot, and U.S.S. The Sullivans (DD-537). This ship moored with standard destroyer mooring lines, doubled, with storm lines fore and aft. This ships receiving miscellaneous services from the pier. Condition of readiness V and material condition YOKE are set. SOPA is Comt Des Lant aboard U.S.S. Yosemite (AD-19). Ships present include other ships of U.S. Atlantic Fleet and various local service craft.

Eugene J. Gallagher
Ens. U.S.N.R.

04-08 Moored as before. 0745 Mustered the crew at quarters. No unauthorized absentees. 0752 Commenced taking on fresh water.

Eugene J. Gallagher
Ens. U.S.N.R.

APPROVED: A. H. Craig U.S.N. COMMANDING

EXAMINED: [signature] LTJG U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD629) FRIDAY (Day) 1 (Date) SEPTEMBER (Month), 19 61

08-12 Moored as before. 0912 Completed taking on fresh water having received 14,422 gallons. 1000 Made daily inspection of magazines and smokeless powder samples; conditions normal. 1015 Made weekly test of magazine sprinkling and flooding system; conditions satisfactory.

R Coburn
LTJG USNR

12-16 Moored as before.

R Coburn
LTJG USNR

16-20 Moored as before.

R Coburn
LTJG USNR

20-24 Moored as before.

R Coburn
LTJG USNR

APPROVED: A. H. Craig U.S.N. COMMANDING

EXAMINED: R Coburn LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

3ND-P&PO 8231

C

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

3ND-P&PO 8231

USS ABBOT (DD629) ZONE DESCRIPTION Q +4 DATE Saturday 2 September, 19 61
(Day) (Date) (Month)

AT/~~PASSAGE~~ FROM Pier 1, Berth 132, US Naval Base Newport, Rhode Island

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	205	4	3	Haze	29.90	74	71						
02	205	4	3	Haze	29.90	73	71						
03	195	4	3	Haze	29.90	72	71						
04	205	4	3	Haze	29.91	72	70						
05	200	4	3	Haze	29.92	72	71						
06	205	4	3	Haze	29.92	72	70						
07	205	4	3	Haze	29.93	72	71						
08	005	1	3	Haze	29.94	74	72						
09	005	2	2	Haze	29.95	75	73						
10	005	4	2	Haze	29.95	76	74						
11	005	4	2	Haze	29.96	77	75						
12	005	4	2	Haze	29.95	78	76						
13	010	4	3	Haze	29.94	80	78						
14	010	4	4	OVC	29.94	82	81						
15	015	4	4	Rain	29.94	81	81						
16	025	3	4	OVC	29.94	76	76						
17	020	5	4	OVC	29.94	79	78						
18	015	4	2	Fog	29.94	74	73						
19	010	6	2	Fog	29.93	71	69						
20	010	6	2	Fog	29.96	69	67						
21	010	6	2	Fog	29.96	69	67						
22	025	6	3	Fog	29.96	69	67						
23	030	6	3	Haze	29.98	69	67						
24	045	7	4	Haze	30.00	69	68						

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)

TO _____ (ZT) _____ (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

REMARKS

00-09 Moored Starboard side to USS Arcadia (AD23) with standard destroyer mooring lines in a nest of three ships in Berth 132 at Pier 1 US Naval Base, Newport Rhode Island. Ships outboard from the pier are: Arcadia Abbot and USS The Sullivans (DD537) The ship is receiving miscellaneous services from the pier. Condition of Readiness I and Material Condition Yoke are set. SOPA is ComDesLant aboard USS Yosemite (AD19) Ships present include various units of the U.S. Atlantic Fleet plus harbor craft.

Coburn
LTJG USNR

04-08 Moored as before. 0745 Mustered the men at quarters. Absentees: ~~none~~ CARLSON, R.C. 609619 GM1 USN AOL since ~~0001 this date.~~ none.

Coburn
LTJG USNR

APPROVED:

A. H. Craig U.S.N. COMMANDING

EXAMINED:

Coburn LTJG U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD 629) SAT (Day) 2 (Date) SEPT (Month) 19 61

08-12 Moored as before. 1000 Made daily inspection of magazines and smokeless powder samples; conditions normal.

J. W. Phillips
LT USN

12-16 Moored as before. 1332 Pursuant to USS ABBOT (DD 629) SPAR: 507 of 2 September 1961 ENS D. P. GRINNELL, USN, 647591, left the ship for temporary duty under instruction at ICC School, Glynco, Ga.

J. W. Phillips
LT USN

16-20 Moored as before.

J. W. Phillips
LT USN

20-24 Moored as before.

J. W. Phillips
LT USN

APPROVED: A. H. Craig U.S.N. COMMANDING

EXAMINED: Coburn LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

3ND-P&PO 8231

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

3ND-P&PO 8231

USS ABBOT (DD 629) ZONE DESCRIPTION Q+4 DATE SUNDAY (Day) 3 (Date) SEPTEMBER (Month) 19 61

AT/~~PASSAGE~~ FROM PIER 1, BERTH 132, US Naval Base NEWPORT RHODE ISLAND

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY	WEATHER	BAROMETER	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (knots)	(Miles)	(Symbols)	(Inches)	Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	060	8	7	OVC	30.00	68	67						
02	030	8	4	Rain	30.00	68	68						
03	025	8	5	OVC	30.01	67	67						
04	030	7	5	OVC	30.02	67	66						
05	035	2	5	OVC	30.02	68	67						
06	035	3	5	OVC	30.02	69	67						
07	035	4	5	OVC	30.02	70	68						
08	020	3	5	OVC	30.03	69	67						
09	025	3	5	OVC	30.03	70	68						
10	025	2	5	BKN	30.03	73	70						
11	028	4	5	BKN	30.04	74	71						
12	345	2	2	OVC	30.04	75	72						
13	330	2	2	HAZE	30.04	75	72						
14	330	2	2	HAZE	30.01	75	73						
15	330	2	2	HAZE	29.97	78	76						
16	270	2	3	HAZE	29.96	78	76						
17	180	3	3	HAZE	29.95	78	76						
18	090	4	4	HAZE	29.95	76	74						
19	180	4	4	HAZE	29.95	76	74						
20	180	4	4	HAZE	29.95	75	73						
21	150	4	2	HAZE	29.95	74	72						
22	180	4	2	HAZE	29.95	73	71						
23	270	4	2	HAZE	29.95	73	71						
24	230	4	2	HAZE	29.94	71	69						

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 Moored starboard side to USS ARCADIA (AD 23) in a nest of three ships at Pier 1, U.S. Naval ~~Station~~ Base Newport, R.I. with standard destroyer mooring lines doubled and storm lines fore and aft. USS THE SULLIVANS (DD537) moored outboard to port. Receiving miscellaneous services from the pier. Material Condition YOKE and Condition of Readiness I are set. Ships present include various units of the U.S. Atlantic Fleet and harbor craft. SOPA is COMDESLANT in USS YOSEMITE (AD 19).

J. M. Phillips
LT USN

04-08 Moored as before. ~~0800~~ 0750 Mustered the crew on ~~my~~ stations; no unauthorized absentees.

J. M. Phillips
LT USN

APPROVED: A. W. Craig U.S.N. COMMANDING

EXAMINED: Coburn LTJG U.S.N. NAVIGATOR

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD 629) JUN 3 SEPT, 19 61
(Day) (Date) (Month)

08-12 Moored as before. 1000 Made daily inspection magazines and smokeless powder samples; conditions normal.

J. R. Phillips
LT USN

12-16 Moored as before

J. R. Phillips
LT USN

16-20 Moored as before.

J. R. Phillips
LT USN

20-24 Moored as before.

J. R. Phillips
LT USN

APPROVED: A. H. Craig U.S.N. COMMANDING

EXAMINED: Robinson LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

3ND-P&PO 8231

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

3ND-P&PO 8231

USS ABBOT (DD 629) ZONE DESCRIPTION Q+4 DATE MONDAY (Day) 4 (Date) SEPTEMBER (Month) 19 61

AT/~~PASSAGE~~ FROM BERTH 132, U.S. NAVAL ~~STATION~~ BASE, NEWPORT RHODE ISLAND C

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE Dry Bulb	TEMPERATURE Wet Bulb	CLOUDS Amount (Tenths)	CLOUDS Height	CLOUDS Type	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	230	4	2	FOG	29.94	71	70						
02	235	4	2	FOG	29.94	71	70						
03	230	5	1	FOG	29.92	70	69						
04	230	5	.5	FOG	29.92	74	72						
05	230	5	.5	FOG	29.92	74	72						
06	230	5	.5	FOG	29.92	74	72						
07	230	2	.5	FOG	29.92	72	71						
08	260	2	1	FOG	29.92	73	72						
09	250	1	2	FOG	29.92	74	72						
10	—	—	.5	FOG	29.94	74	73						
11	—	—	1	FOG	29.95	76	75						
12	—	—	2	FOG	29.96	78	76						
13	—	—	3	HAZE	29.94	78	76						
14	—	—	3	HAZE	29.92	78	76						
15	—	—	3	HAZE	29.90	80	78						
16	210	2	3	HAZE	29.90	83	81						
17	210	1	3	HAZE	29.89	84	82						
18	210	2	3	HAZE	29.89	83	82						
19	210	3	3	HAZE	29.89	83	82						
20	210	3	3	HAZE	29.89	82	81						
21	210	3	3	HAZE	29.89	82	81						
22	210	3	3	HAZE	29.89	82	81						
23	210	3	3	HAZE	29.89	78	77						
24	210	3	3	HAZE	29.89	75	74						

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)

TO _____ (ZT) _____ (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 Moored starboard side to USS ARCADIA (AD23) in a nest of three ships at Pier 1, U.S. Naval ~~Station~~ Base, Newport, Rhode Island, with standard destroyer mooring lines doubled and a stern line fore and aft. USS THOMAS SULLIVANS (DD537) moored outboard to port. Condition of Readiness I and material condition ZOKE are set. Ships present include various units of the U.S. Atlantic Fleet and harbor craft. SOPA is COMDESLANT on USS YOSEMITE (AD 19)

J. H. Sullivan
LT USN

04-08 Moored as before. 0745 Mustered the crew on stations; no unauthorized absentees.

J. H. Sullivan
LT USN

APPROVED: A. N. Craig U.S.N. COMMANDING

EXAMINED: _____ LTJG U.S.N. NAVIGATOR

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD 629) MON (Day) 4 (Date) SEP (Month) 10 61

0800-1200 Moored as before. Made daily inspection of magazines and smokeless powder samples; all conditions normal.

P. F. Finch
Ens USN

1200-1600 Moored as before.

P. F. Finch
Ens USN

1600-2000 Moored as before. ~~1645 - Set modified~~ condition YOKE.

P. F. Finch
Ens USN

2000-2400 Moored as before.

P. F. Finch
Ens USN

APPROVED: A. H. Craig U.S.N. COMMANDING

EXAMINED: Coburn LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

3ND-P&PO 8231

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

3ND-P&PO 8231

USS ABBOT (DD 629) ZONE DESCRIPTION +4 Q DATE Tues. (Day) 5 (Date) Sept. (Month), 19 61

AT/~~PASSAGE FROM~~ NEWPORT, R.I. Pier 1 Berth 132 U S Naval Base

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	210	3	3	HAZE	29.88	74	72						
02	220	3	2	FOG	29.86	74	71						
03	220	3	1	FOG	29.86	74	70						
04	220	3	.5	FOG	29.86	74	70						
05	220	2	.5	FOG	29.86	74	70						
06	230	2	.3	FOG	29.85	74	70						
07	230	1	.2	FOG	29.85	74	70						
08	—	—	.2	FOG	29.85	74	69						
09	—	—	.5	FOG	29.85	74	69						
10	—	—	2	FOG	29.86	78	71						
11	—	—	3	FOG	29.83	83	71						
12	—	—	3	FOG	29.84	84	77						
13	260	1	4	HAZE	29.87	88	79						
14	260	1	4	HAZE	29.91	88	79						
15	255	1	4	BKN	29.92	87	78						
16	265	2	5	BKN	29.92	87	78						
17	260	2	5	BKN	29.92	85	76						
18	280	1	5	BKN	29.93	82	73						
19	275	1	6	BKN	29.94	82	73						
20	275	1	5	BKN	29.94	82	73						
21	275	1	6	BKN	29.94	82	73						
22	275	1	4	BKN	29.94	79	70						
23	275	1	3	HAZE	29.94	77	68						
24	275	1	3	HAZE	29.94	77	68						

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)

TO _____ (ZT) _____ (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 Moored starboard side to (USS) Arcadia (AD-23) in a nest of three ships at pier #1 Newport Naval Station, Newport, R.I. Ships outboard from the pier are Arcadia, Abbot, and (USS) The Sullivans (DD 537). This ship in berth 132, using standard destroyer mooring lines doubled fore and aft, and taking on miscellaneous services from the pier. Condition of readiness IV and material condition YOKE are set. SOPA is ComDesLant embarked on the (USS) Yosemite (AD-19).

P.F. Finch Ens USN

04-08 Moored as before. 0700 Daniels, R.J. 903-17-25 RDSN reported back on board after being UA since 0739 4 Sept 1961. 0745. Held quarters for muster and inspection. No unauthorized absentees.

P.F. Finch Ens USN

APPROVED:

A. H. Craig U.S.N. COMMANDING

EXAMINED:

Coburn LTJG U.S.N. NAVIGATOR

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD-629) Tues (Day) 5 (Date) Sept (Month), 19 62

08-12 Moored as before 0945 Ship brested out. 1000 U.S.S. John Paul Jones (DD-932) moored starboard side to Arcadia. 1020 This ship brested in, moored starboard side to J. P. Jones in berth 133 at pier 1. 1045 Made daily inspection of magazine and smokeless powder samples; conditions normal. 1058 Shifted from ship's power to shore power. 1115 Commenced taking on fresh water. 1142 Completed taking on fresh water, having recieved 2827 gallons.

E. J. Gallagher
Ens. U.S.N.R.

12-16 Moored as before. 1321 U.S.S. Northampton (CLC-1) moored port side to Pier 2. Com Sec Flt aboard, ComSecFlt assumed SOPA Nanabay Sub-Area.

E. J. Gallagher
Ens. USNR

16-20 Moored as before.

E. J. Gallagher
Ens. U.S.N.R.

20-24 Moored as before.

E. J. Gallagher
Ens. U.S.N.R

APPROVED: A. H. Craig U.S.N. COMMANDING

EXAMINED: Coburn LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

3ND-P&PO 8231

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

3ND-P&PO 8231

USS ABBOT (DD-629) ZONE DESCRIPTION Q +4 DATE Wednesday (Day) 6 (Date) Sept. (Month), 19 61

AT/~~PASSAGE~~ FROM Pier 1 Berth 133 US Naval Base Newport, Rhode Island

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	135	2	7	BKN	29.84	76	68						
02	150	2	7	BKN	29.84	75	67						
03	180	2	7	BKN	29.85	75	67						
04	180	2	7	BKN	29.85	73	65						
05	180	2	7	BKN	29.85	70	62						
06	180	2	7	BKN	29.85	72	64						
07	180	2	7	BKN	29.85	71	63						
08	095	2	7	BKN	29.85	71	63						
09	095	3	7	BKN	29.85	73	65						
10	095	3	7	SCT	29.86	75	67						
11	095	2	7	SCT	29.86	79	71						
12	095	2	7	SCT	29.86	79	71						
13	095	2	7	SCT	29.86	82	74						
14	095	2	7	SCT	29.86	85	77						
15	095	3	7	SCT	29.86	85	77						
16	111	4	7	SCT	29.86	80	72						
17	110	3	7	SCT	29.86	80	72						
18	090	4	7	SCT	29.86	80	72						
19	120	5	7	SCT	29.85	75	68						
20	095	5	7	SCT	29.85	76	64						
21	097	2	7	SCT	29.85	76	69						
22	096	1	7	BKN	29.85	75	68						
23	095	2	7	BKN	29.84	76	68						
24	100	3	7	OVC	29.83	76	67						

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)

TO _____ (ZT) _____ (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 Moored starboard side to U.S.S. John Paul Jones (DD-932) in a nest of four ships in Berth 133 at Pier 1, U.S. Naval Station, Newport, Rhode Island. Ships outbound from the pier are: U.S.S. Arcadia (AD-23), John Paul Jones, ABBOT, and U.S.S. The Sullivans (DD-537). This ship moored with standard destroyer mooring lines, doubled, with storm lines fore and aft. This ship receiving miscellaneous services from the pier. Condition of readiness II and material condition YOKE are set. SOPA is Com Sec 7 flt aboard U.S.S. Northampton (CLC-1). Ships present include other ships of U.S. Atlantic Fleet and various local service craft.

E. J. Gallagher
Ens. USNR

04-08 Moored as before. 0731 Commenced taking on fresh water. 0745 Mustered the crew at quarters; no unauthorized absentees.

E. J. Gallagher
Ens USNR.

APPROVED: A. W. Craig U.S.N. COMMANDING

EXAMINED: Coburn LTJG U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD 629) WED (Day) 6 (Date) SEPT (Month), 19 61

08-12 Moored as before. 1000 Made daily inspection of magazines and smokeless powder samples; Conditions normal.

J. M. Mulligan
LT USN

12-16 Moored as before.

J. M. Mulligan
LT USN

16-20 Moored as before.

J. M. Mulligan
LT USN

20-24 Moored as before.

J. M. Mulligan
LT USN

APPROVED: A. H. Craig U.S.N. COMMANDING

EXAMINED: Robinson LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

3ND-P&PO 8231

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

3ND-P&PO 8231

USS ABBOT (DD629) ZONE DESCRIPTION Q + 4 DATE THURSDAY (Day) 7 (Date) SEPTEMBER (Month), 19 61

AT/~~PASSAGE~~ FROM Berth 133, U.S Naval ~~Station~~ Base Newport R. I.

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE Dry Bulb	TEMPERATURE Wet Bulb	CLOUDS Amount (Tenths)	CLOUDS Height	CLOUDS Type	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	275	2	6	BKN	29.84	77	68						
02	275	2	7	BKN	29.82	76	67						
03	275	4	7	BKN	29.82	76	67						
04	275	4	6	SCT	29.82	73	64						
05	275	4	6	SCT	29.84	70	61						
06	275	4	6	SCT	29.87	72	63						
07	275	4	5	SCT	29.90	71	62						
08	275	4	7	SCT	29.94	71	62						
09	241	4	7	SCT	29.96	72	63						
10	200	7	7	SCT	29.98	73	63						
11	220	6	7	SCT	30.00	74	64						
12	220	4	7	BKN	30.00	79	69						
13	180	2	7	BKN	30.00	85	74						
14	163	2	7	BKN	29.98	85	74						
15	152	2	7	SCT	29.96	85	74						
16	095	2	7	SCT	29.94	83	72						
17	050	2	7	BKN	29.94	82	72						
18	010	2	7	SCT	29.95	80	70						
19	010	2	7	SCT	29.98	76	77						
20	042	2	7	SCT	30.00	72	64						
21	059	2	7	SCT	30.02	71	63						
22	075	2	7	SCT	30.05	70	62						
23	075	2	6	BKN	30.07	69	61						
24	095	2	5	BKN	30.08	68	61						

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)

TO _____ (ZT) _____ (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 Moored starboard side to USS JOHN PAUL JONES (DD 932) in a nest of four ships at Pier 1, U.S. Naval ~~Station~~ Base, Newport R.I., with standard DD destroyer mooring lines doubled. Ships in the nest are USS ARCADIA (AD23) alongside the pier to starboard and USS THOMAS SULLIVANS (DD537) outboard to port. Receiving miscellaneous services from the pier. Condition of readyness I and material condition YOKE-One set. Ships present include various units of the U.S. Atlantic Fleet and harbor craft. SOPA is COMSTRCFLT in USS NORTHAMPTON (CLC 1).

W. H. Gilliss
LT USN

04-08 Moored as before. 0745 Mustered the crew on stations; HYORA, T.P., 506 54 03 47 74, USN and STEVENS, R.A., IM1 SN, 539 82 44, USN, UA since 0730 this date.

APPROVED:

A. H. Craig U.S.N. COMMANDING

EXAMINED:

Robinson LTJG U.S.N. NAVIGATOR

W. H. Gilliss
LT USN

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Abbot (DD-629) THURS (Day) 7 (Date) Sept (Month) 19 61

0800-1200 Moored as before. Com Second Flt in USS NORTHAMPTON got underway from pier Two. ComDesLant in USS Yosemite (AD-19) Resumed duties as SOPA Narragansett Bay Sub-Area. 0820 HYORA, T.D. SOGSN 4034771 USN and STEVENS, R.A. TMSN, 5398244 USN, returned on board, having been U.A since 0730 This date, A period of about 50 minutes. 0826 Lit fires under #2 Boiler 1130 Made daily inspection of Magazines and Smokeless Powder Samples. Conditions Normal.

C.T. Egan
Ens USNR

1200-1600 Moored as before.

C.T. Egan
Ens USNR

1600-2000 Moored as before.

C.T. Egan
Ens USNR

2000-2400 Moored as before.

C.T. Egan
Ens USNR

APPROVED: A. W. Craig U.S.N. COMMANDING

EXAMINED: Coburn LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

3ND-P&PO 8231

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

3ND-P&PO 8231

USS Abbot (DD-629) ZONE DESCRIPTION Q+4 DATE Friday (Day) 8 (Date) Sept (Month), 19 61

AT/~~PASSAGE FROM~~ Newport, R.I. Pier 1 Berth 132, US Naval Base

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY	WEATHER	BAROMETER	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (knots)	(Miles)	(Symbols)	(Inches)	Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	105	5	3	BKN	30.10	68	61						
02	100	5	3	BKN	30.12	68	61						
03	090	3	3	BKN	30.13	69	62						
04	075	3	4	BKN	30.10	67	60						
05	075	3	5	BKN	30.10	67	60						
06	075	1	5	BKN	30.10	66	59						
07	075	3	5	BKN	30.10	70	63						
08	095	2	5	BKN	30.10	72	65						
09	095	2	6	BKN	30.13	72	65						
10	095	2	6	BKN	30.15	72	65						
11	150	2	6	SCT	30.16	72	64						
12	168	2	6	SCT	30.15	80	70						
13	200	2	7	SCT	30.15	84	72						
14	200	2	7	SCT	30.14	89	76						
15	200	2	7	SCT	30.13	90	76						
16	205	2	7	SCT	30.11	90	76						
17	200	3	7	SCT	30.09	84	70						
18	210	2	7	SCT	30.07	75	67						
19	245	2	7	SCT	30.05	75	67						
20	350	5	6	SCT	30.14	73	65						
21	350	5	6	SCT	30.04	73	65						
22	340	5	6	SCT	30.03	72	65						
23	330	5	6	SCT	30.04	72	65						
24	230	3	6	SCT	30.04	75	69						

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 Moored Starboard side to USS John Paul Jones DD 932 in Berth 132, U.S. Naval Station, Newport, RI, using standard destroyer mooring lines doubled. Ships in the nest are, from the dock outboard, USS Arcadia (AD-23), USS John Paul Jones, USS Abbot, and USS Joe Sullivans (DD537). This ship receiving steam, fresh water, and electric power from pier one. Condition of Readiness Five and Modified Material Condition Yoke are set. Ships present include various units of the U.S. Atlantic Fleet and Harbor Craft. ComDesLant is USS Yosemite (AD-19).

C.T. Eggan
Ens USNR

04-08 Moored as before. 0745 Mustered the crew at Quarters. Absentees: None.

C.T. Eggan
Ens. USNR.

APPROVED: A. H. Craig U.S.N. COMMANDING

EXAMINED: Robinson LT/G U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD 629) FRI (Day) 8 (Date) Sept. (Month), 19 61

0800-12 Moored as before. 0930 This ship underway while breasting out to allow (USS) Wadleigh (DD-689) to moor inboard. 0957 Moored starboard side to (USS) Wadleigh (DD689) in a nest of five ships at Pier 1, US Naval Station, Newport, R.I. Ships outboard from the pier are (USS) Acadia (AD23), (USS) D. F. Jones (DD932), Wadleigh, Abbot, and (USS) T.R. Sullivan (DD537). 1030 Received diesel oil, magazines and smokeless powder reports. All conditions normal.

P. F. Finch
Ens. USN

12-16 Moored as before.

P F Finch
Ens USN

16-20 Moored as before

P F Finch
Ens USN

20-24 Moored as before.

P F Finch
Ens USN

APPROVED: O. N. Craig U.S.N. COMMANDING

EXAMINED: Coburn LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

3ND-P&PO 8231

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

3ND-P&PO 8231

USS ABBOT (DD-629) ZONE DESCRIPTION +4 Q DATE SAT. (Day) 9 (Date) Sept. (Month), 19 61

AT/~~PASSAGE FROM~~ Berth 134 U.S. Naval ~~Station~~ Base, Newport, R.I.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	210	3	6	ScT	30.05	76	69						
02	265	5	6	ScT	30.05	75	68						
03	240	5	6	ScT	30.03	74	67						
04	220	3	6	ScT	30.03	74	67						
05	225	3	6	ScT	30.03	74	67						
06	225	3	7	ScT	30.05	75	68						
07	225	3	7	ScT	30.07	74	67						
08	230	3	7	ScT	30.08	75	68						
09	230	2	7	ScT	30.08	78	71						
10	230	2	7	ScT	30.08	78	71						
11	275	3	7	ScT	30.08	81	74						
12	298	2	7	ScT	30.06	81	74						
13	298	2	7	ScT	30.06	82	75						
14	260	2	7	ScT	30.06	82	75						
15	237	2	7	ScT	30.06	83	76						
16	200	2	8	ScT	30.03	83	76						
17	220	5	8	ScT	30.01	82	75						
18	220	5	7	ScT	30.00	82	75						
19	220	5	7	ScT	30.00	81	74						
20	210	2	7	ScT	30.00	76	69						
21	230	3	7	ScT	30.00	75	68						
22	260	3	7	ScT	30.00	74	67						
23	270	8	6	ScT	30.01	74	67						
24	270	8	6	ScT	30.01	74	67						

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)

TO _____ (ZT) _____ (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

ØØ-Ø4 Moored starboard side to (USS) Wadleigh (DD-689) in a nest of five ships at Pier 1, U.S. Naval Station, Newport R.I. Ships outboard from the pier are (USS) Arcadia (AD-23), (USS) John Paul Jones (DD932), Wadleigh, Abbot, and (USS) The Sullivans (DD537). This ship using standard destroyer mooring lines and receiving miscellaneous services from the pier. Condition of readiness X and material condition YOKE are set. Ships present include various units of the U.S. Atlantic Fleet and local service craft. SOPA is ComDesLant in (USS) Yosemite (AD-19).

P.F. Finch
Ens USN

Ø4-Ø8- Moored as before. 0745 Mustered the crew at Quarters. No unauthorized absentees.

P.F. Finch

APPROVED: A. N. Craig U.S.N. COMMANDING

EXAMINED: Robinson U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD-629) Sat. (Day) 9 (Date) Sept. (Month), 19 61

Pursuant to ComDesLant msg 310405Z of Aug 1961.

08-12 Moored as before. 0801 Ens. RAK Taylor USN 641 802 left this ship for temporary duty at Damage Control School, U.S. Naval Base, Philadelphia, Pa. as per ComDesLant instruction. 1052 Made daily inspection of magazine and smokeless powder samples. Conditions normal. C

Eugene J. Gallagher
Ens. U.S.N.R.

12-16 Moored as before. 1526 Commenced taking on fresh water.

Eugene J. Gallagher
Ens. U.S.N.R.

16-20 Moored as before. 1623 Completed taking on fresh water, having received 6804 gallons.

Eugene J. Gallagher
Ens. U.S.N.R.

20-24 Moored as before

Eugene J. Gallagher
Ens. U.S.N.R.

APPROVED: A. H. Craig U.S.N. COMMANDING

EXAMINED: [illegible] Coburn LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

3ND-P&PO 8231

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

3ND-P&PO 8231

USS ABBOT (DD-629) ZONE DESCRIPTION Q+4 DATE Sun. (Day) 10 (Date) Sept (Month), 19 61

AT/~~PASSAGE FROM~~ Berth 134, Pier 1 U.S. Naval Station Base, Newport, R.I.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	270	3	5	Sct	30.00	75	68						
02	270	3	5	BKN	30.00	75	68						
03	270	3	5	BKN	29.97	75	68						
04	260	4	6	BKN	29.95	76	68						
05	240	2	7	BKN	29.95	76	68						
06	210	2	7	BKN	29.95	75	68						
07	250	2	7	BKN	29.95	77	69						
08	230	3	7	BKN	29.93	75	68						
09	250	2	7	BKN	29.94	78	71						
10	260	1	7	Sct	29.93	82	75						
11	250	1	7	Sct	29.94	84	77						
12	270	3	7	Sct	29.92	86	79						
13	285	3	7	Sct	29.90	84	77						
14	320	3	7	Sct	29.90	85	78						
15	320	4	7	Sct	29.90	85	79						
16	295	4	7	Sct	29.90	85	80						
17	250	5	7	Sct	29.90	83	78						
18	250	7	7	Sct	29.90	83	78						
19	250	5	7	Sct	29.90	82	77						
20	210	5	7	Sct	29.91	78	73						
21	210	3	7	Sct	29.92	75	70						
22	210	3	7	Sct	29.92	71	66						
23	230	3	7	Sct	29.92	70	65						
24	225	3	7	BKN	29.92	73	58						

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)

TO _____ (ZT) _____ (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 Moored starboard side to U.S.S. Wadleigh (DD-689) in a nest of five ships, in Berth 134 at Pier 1, U.S. Naval Station, Newport R.I. Ships outboard from the pier are: U.S.S. Arcadia (AD-23) U.S.S. John Paul Jones (DD-932) Wadleigh, Abbot, and U.S.S. The Sullivans (DD-537). This ships moored with standard destroyer mooring lines, doubled. This ship receiving fresh water from the pier. Boiler #1 and generator #2 are on the line. Condition of readiness I and material condition YOKE are set. Ships present will be various units of U.S. Atlantic Fleet and local service craft. SOPA is ComDesLant aboard U.S.S. Yosemite (AD-19)

Eugene J. Gallagher
Ens. USNR.

04-08 Moored as before. 0745 Mustered the crew ~~at quarters~~ on station; all present, no unauthorized absentees.

Eugene J. Gallagher
Ens. USNR

APPROVED: A. W. Craig U.S.N. COMMANDING

EXAMINED: Coburn LTJG U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD-629) Sun (Day) 10 (Date) Sept (Month), 19 61

08-12 Moored as before. 1137 Made daily inspection of magazines and smokeless powder samples. Conditions normal.

Eugene J. Gallagher
Ens. USNR

12-16 Moored as before.

Eugene J. Gallagher
Ens. USNR

16-20 Moored as before. 1711 Commenced taking on fresh water. 1753 Completed taking on fresh water, having received 5084 gallons.

Eugene J. Gallagher
Ens. USNR

20-24 Moored as before. 2215 #3 Boiler on the line for baking out purposes. 2330 Secured #3 Boiler.

Eugene J. Gallagher
Ens USNR

APPROVED: A. H. Craig U.S.N. COMMANDING

EXAMINED: Robinson LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

3ND-P&PO 8231

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

3ND-P&PO 8231

USS ABBOT (DD-629) ZONE DESCRIPTION Q +4 DATE Mon. (Day) 11 (Date) Sept (Month), 19 61

AT ~~PASSAGE FROM~~ Berth 134, Pier 1 U.S. Naval ~~Station~~ Base, Newport, R.I.C

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE Dry Bulb	TEMPERATURE Wet Bulb	CLOUDS Amount (Tenths)	CLOUDS Height	CLOUDS Type	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	125	2	6	BKN	29.92	72	67						
02	130	5	6	BKN	29.90	73	68						
03	130	2	6	BKN	29.90	74	69						
04	140	2	6	BKN	29.92	75	70						
05	140	2	6	BKN	29.92	75	70						
06	140	4	6	BKN	29.92	74	69						
07	140	3	6	BKN	29.93	74	69						
08	135	6	6	BKN	29.94	74	69						
09	135	3	6	BKN	29.94	75	70						
10	135	3	7	BKN	29.94	77	71						
11	135	5	7	BKN	29.94	77	71						
12	135	5	7	SCT	29.94	79	73						
13	140	8	7	SCT	29.92	80	74						
14	165	12	7	SCT	29.88	79	73						
15	140	12	7	SCT	29.88	78	72						
16	140	12	7	SCT	29.86	78	72						
17	140	12	7	SCT	29.86	78	72						
18	145	9	7	SCT	29.84	76	70						
19	145	9	7	SCT	29.86	76	67						
20	145	8	7	SCT	29.88	78	72						
21	145	8	6	SCT	29.89	75	70						
22	145	8	6	SCT	29.87	73	67						
23	145	8	6	BKN	29.87	73	67						
24	160	8	6	BKN	29.87	73	67						

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)

TO _____ (ZT) _____ (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 Moored starboard side to U.S.S. Wadleigh (DDG-689) in a nest of five ships, in Berth 134 at Pier 1, U.S. Naval Station, Newport R.I. Ships outboard from the pier are: U.S.S. Arcadia (AD-23), U.S.S. John Paul Jones (DDG-932), Wadleigh, Abbot, and U.S.S. The Sullivans (DDG-537). This ship moored with standard destroyer mooring lines, doubled. This ship receiving fresh water from the pier, boiler #1, and generator #2 are on the line. Condition of readiness, V and material condition YOKE are set. Ships present include various units of U.S. Atlantic Fleet and local service craft: SOPA is ComDesLant aboard U.S.S. Yosemite (AD-19)

Eugene J. Gallagher
Ens. USNR

04-08 Moored as before. 0745 Mustered the crew at quarters; unauthorized absentee: Meeney, J.F., RD2, 5176967, USN, since 0730 this date.

Eugene J. Gallagher
Ens. USNR

APPROVED: A. W. Craig U.S.N. COMMANDING

EXAMINED: Coburn LTJG U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD629) MONDAY (Day) 11 (Date) SEPTEMBER (Month) 19 61

08-12 Moored as before. 0801 USS THE SULLIVANS (DD537) to port got underway and stood down the channel. 0802 Pilot came aboard; made preparations for shifting berths. 0816 Underway to shift berths assisted by Tugs: YTB 272 YTB 280, and YTB 381. 0840 moored portside to pier Roth 141 Pier No. 1 U.S. Naval Base Newport R.I. with standard destroyer mooring lines doubled. 0923 made daily inspection of magazines and smokeless powder samples; conditions normal.

Coburn
LTJG USNR

12-16 Moored as before. 1515 USS T.J. GARY (DER-326) moored alongside to starboard 1530 with the assistance of harbor tugs, shifted nest composed of Abbot and Gary approximately thirty (30) feet forward.

Coburn
LTJG USNR

16-20 Moored as before. 1645 shifted to shore power, receiving steam and electrical power from the pier.

Coburn
LTJG USNR

20-24 Moored as before.

Coburn
LTJG USNR

APPROVED: A. H. Craig U.S.N. COMMANDING

EXAMINED: Coburn LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

3ND-P&PO 8231

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

3ND-P&PO 8231

USS ABBOT (DDG29) ZONE DESCRIPTION Q+4 DATE TUESDAY (Day) 12 (Date) SEPTEMBER (Month), 19 61

AT/~~PASSAGE~~ FROM BERTH 141, PIER 1, US NAVAL BASE NEWPORT, RHODE ISLAND

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	160	8	5	HAZE	29.86	73	67						
02	150	5	5	HAZE	29.86	74	69						
03	150	3	.5	FOG	29.85	73	68						
04	160	3	2	FOG	29.85	73	68						
05	160	3	2	FOG	29.85	72	67						
06	160	3	2	FOG	29.85	72	67						
07	160	3	3	FOG	29.85	72	67						
08	140	5	1	FOG	29.87	75	70						
09	140	6	3	FOG	29.91	78	73						
10	140	6	3	FOG	29.91	81	76						
11	140	6	3	FOG	29.92	82	77						
12	147	6	3	FOG	29.90	80	75						
13	200	5	3.5	FOG	29.89	82	77						
14	245	3	3.5	FOG	29.88	84	78						
15	225	1	3	FOG	29.86	84	78						
16	225	1	3	FOG	29.86	84	78						
17	187	3	4	HAZE	29.88	81	75						
18	187	4	5	HAZE	29.90	78	73						
19	195	3	5	HAZE	29.90	77	72						
20	195	3	5	HAZE	29.89	77	72						
21	225	3	4	HAZE	29.88	70	66						
22	220	3	5	HAZE	29.88	70	66						
23	220	3	5	HAZE	29.87	70	66						
24	220	3	5	HAZE	29.87	70	67						

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)

TO _____ (ZT) _____ (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 Moored portside to the pier berth 141, Pier 1, US Naval Base, Newport, Rhode Island with standard destroyer mooring lines doubled in a nest of two ships. Ships outboard from the pier are: Abbot and USS T. J. GARY (DER 326). Condition of Readiness ~~IV~~ III Material Condition Yoke are set. SOPA is ComDesLant aboard USS Yosemite (CAD 19). Ships present include various units of the US Atlantic Fleet plus harbor craft.

R Coburn
LTJG USNR

04-08 Moored as before. 0745 Mustered the crew at quarters. Unauthorized absentees: Meeney, J. F., RD2, 517 69 67, USN since 0730 11 September 1961.

R Coburn
LTJG USNR

APPROVED: A. H. Craig U.S.N. COMMANDING

EXAMINED: R Coburn LTJG U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Abbot (DD-629) TUESDAY (Day) 12 (Date) Sept (Month) 10 61

08-12 Moored as before. 0930 Made daily Inspection of Magazines and Smokeless Powder Samples. Conditions Normal.

C.T. Eggerb
Ens USNR

12-16 Moored as before.

C.T. Eggerb
Ens. USNR

16-20 Moored as before

C T Eggerb
Ens. USNR

20-24 Moored as before

C.T. Eggerb
Ens. USNR

APPROVED:

A. H. Craig U.S.N. COMMANDING

EXAMINED:

Osborn LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

3ND-P&PO 8231

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

3ND-P&PO 8231

USS Abbot (DD-629) ZONE DESCRIPTION Q + A DATE Wednesday (Day) 13 (Date) Sept (Month), 19 61

AT/~~PASSAGE~~ FROM Newport, R.I. US Naval Base, Pier 1, Berth 141

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY	WEATHER	BAROMETER	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)	(Miles)	(Symbols)	(Inches)	Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	220	3	3	Haze	29.87	70	65						
02	210	3	3	Haze	29.89	69	64						
03	210	3	3	Haze	29.89	69	64						
04	210	2	4	OVC	29.90	70	65						
05	225	2	4	OVC	29.90	74	69						
06	225	3	4	OVC	29.92	74	69						
07	220	3	3	Haze	29.94	71	66						
08	210	3	5	Haze	29.94	74	69						
09	210	5	5	OVC	29.94	74	69						
10	220	5	5	OVC	29.96	74	69						
11	220	5	6	OVC	29.96	75	69						
12	220	2	6	BKN	29.96	73	67						
13	210	4	7	BKN	29.95	72	66						
14	210	3	7	BKN	29.95	75	69						
15	200	3	7	BKN	29.93	81	75						
16	229	4	6	BKN	29.95	75	69						
17	219	4	7	BKN	29.96	75	69						
18	200	2	7	OVC	29.96	74	68						
19	200	2	7	OVC	29.96	72	66						
20	150	2	7	BKN	29.95	72	66						
21	160	2	7	OVC	29.96	72	66						
22	160	2	7	BKN	29.96	70	65						
23	160	2	7	OVC	29.96	70	65						
24	160	2	7	OVC	29.94	70	65						

POSITION	ZONE	TIME
0800		
L 1		BY
λ		BY
1200		
L 2		BY
λ		BY
2000		
L 2		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)

TO _____ (ZT) _____ (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 Moored Portside to Pier 1 in Berth 141, U.S. Naval Base, Newport, R.I., using standard destroyer mooring lines doubled, in a nest of two ships outboard from the pier: USS Abbot and USS T.J. Gary DER 326. Condition of Readiness V and modified Material Condition Yoke are set. This ship receiving all utilities from Pier One. Ships present includes units of the U.S. Atlantic Fleet Fire Harbor Craft. SOPA is ComDesLant in USS Yosemite (AD19).
C.F. Egan Jr.
Ens. USNR.

04-08 Moored As before. 0628 Lit fires under #3 boiler. 0745 Mustered the crew at quarters. Absentee: Meeney John F. 517 69 67, FN2, USN, U/A since 0730 Monday 11 Sept 1961, declared a straggler this command from this date. C
C.F. Egan
Ens. USNR.

APPROVED: A. W. Craig U.S.N. COMMANDING

EXAMINED: Coburn LTJG U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD-629) Wed (Day) 13 (Date) Sept (Month) 1961

08-12 Moored as before. 0803 Shifted from shore power to ship's power. 0915 Made daily inspection of magazines and smokeless powder samples. Conditions normal.

Eugene J. Gallagher
Ens. USNR.

12-16 Moored as before.

Eugene J. Gallagher
Ens. USNR.

16-20 Moored as before.

Eugene J. Gallagher
Ens. USNR

20-24 Moored as before.

Eugene J. Gallagher
Ens. USNR.

APPROVED: A. H. Craig U.S.N. COMMANDING

EXAMINED: Coburn LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

3ND-P&PO 8231

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

3ND-P&PO 8231

USS ABBOT (DD-629) ZONE DESCRIPTION Q +4 DATE Thursday (Day) 14 (Date), Sept. (Month), 19 61

AT/~~PASSAGE FROM~~ Newport, R.I. Pier 1 Berth 141, US Naval Base

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY	WEATHER	BAROMETER	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (knots)	(Miles)	(Symbols)	(Inches)	Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	220	3	5	OVC	29.94	72	67						
02	220	3	4	OVC	29.94	74	70						
03	220	3	4	OVC	29.93	74	70						
04	180	2	5	OVC	29.93	74	70						
05	180	2	5	OVC	29.92	71	67						
06	180	2	5	OVC	29.91	71	67						
07	180	2	5	OVC	29.90	71	67						
08	180	3	4	OVC	29.90	73	70						
09	190	3	5	OVC	29.90	74	71						
10	160	5	5	OVC	29.90	75	72						
11	175	8	5	OVC	29.88	80	76						
12	170	9	4	OVC	29.90	82	78						
13	170	6	4	Rain	29.90	82	79						
14	175	6	3	Rain	29.88	80	79						
15	170	6	5	OVC	29.88	80	78						
16	200	7	6	Brkn	29.84	77	75						
17	195	7	6	Brkn	29.82	77	74						
18	190	5	7	Brkn	29.78	76	72						
19	185	5	6	OVC	29.76	76	72						
20	185	4	5	OVC	29.76	75	71						
21	181	5	4	Brkn	29.75	74	70						
22	181	5	4	OVC	29.72	74	70						
23	181	5	4	OVC	29.66	74	71						
24	181	9	4	OVC	29.64	73	70						

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000–2400

FUEL CONSUMED 0000–2400

REMARKS

00-04 Moored portside to Pier 1 in Berth 141, U.S. Naval Station, Newpat, Rhode Island using standard destroyer mooring lines doubled in a nest of two ships. Outboard from the pier - Abbot and U.S.S. T.J. Gary (DER-326). Condition of readiness I and modified condition YOKE are set. This ship receiving all utilities from Pier one. Ships present include units of U.S. Atlantic Fleet and local service craft. SOPA is Com Destlant aboard U.S.S. Yosemite (AD-19)

Eugene J. Gallagher
Ens. USNR.

04-08 Moored as before. 0745 Mustered the crew at quarters. No unauthorized absentees.

Eugene J. Gallagher.
Ens. USNR.

APPROVED: A. H. Craig U.S.N. COMMANDING

EXAMINED: Robinson LTJG U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD-629) THURS. (Day) 14 (Date) SEPT. (Month) 19 61

0800-1200 Moored as before. 1050 Received the daily magazine and smokeless powder sample inspection report. All conditions normal.

P. F. Finch
Ens USN

1200-1600 Moored as before.

P. F. Finch
Ens USN

1600-2000 Moored as before.

P. F. Finch
Ens. USN

2000-2400 Moored as before.

P. F. Finch
Ens. USN

APPROVED: A. H. Craig U.S.N. COMMANDING

EXAMINED: Coburn LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

3ND-P&PO 8231

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

3ND-P&PO 8231

USS ABBOT (DD-629) ZONE DESCRIPTION +4 Q DATE Friday (Day) 15 (Date) Sept. (Month), 19 61

AT/~~PASSAGE FROM~~ Pier 1 Berth 141, US Naval Base, Newport, R.I.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	181	19	5	BKN	29.60	73	70						
02	181	23	5	Rain	29.60	71	68						
03	181	23	5	BKN	29.60	74	72						
04	181	23	5	Rain	29.60	73	71						
05	230	26	4	Rain	29.58	73	71						
06	225	25	5	Rain	29.56	73	72						
07	230	25	5	Rain	29.55	72	71						
08	180	13	5	OVC	29.55	71	70						
09	180	10	3	OVC	29.60	71	69						
10	220	10	4	OVC	29.61	70	69						
11	210	10	4	Rain	29.61	70	69						
12	190	10	4	Rain	29.61	70	70						
13	160	10	4	Rain	29.65	69	69						
14	160	10	4	Rain	29.69	70	70						
15	160	9	4	Rain	29.70	70	70						
16	170	7	4	Rain	29.70	64	63						
17	210	7	5	OVC	29.73	64	62						
18	240	9	6	OVC	29.75	65	63						
19	295	10	5	OVC	29.76	65	63						
20	310	5	5	OVC	29.80	66	63						
21	310	5	5	OVC	29.84	64	61						
22	325	7	5	OVC	29.85	63	60						
23	325	9	5	OVC	29.85	61	58						
24	325	8	5	OVC	29.88	60	57						

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04. Moored port side to Pier #1, in berth 141 at U.S. Naval Station, Newport, R.I., in a nest of five ships. Ships outboard from the pier are Abbot and (USS) Clary (DER-326). This ship using 4" nylon mooring lines doubled up, and receiving miscellaneous services from the pier. Condition of readiness I and material condition YOKE are set. SOPA is ComDesLant embarked in (USS) Yosemite (AD-19). Ships present include various components of U.S. Navy Atlantic Fleet and local service craft

P.F. Zurich
Ens USN

04-08 Moored as before. 0505 Rigged storm lines fore and aft. 0745 Mustered the crew at Quarters. Stevens, R.A. 5398244 TMSN, HYDRA, T.P. 9034771 SOQSN, Carney, W.J. 5105785 MM3 UA since 0730 this date.

P.F. Zurich Ens USN

APPROVED: A. H. Craig U.S.N. COMMANDING

EXAMINED: Coburn LTJG U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD629) FRIDAY (Day) 15 (Date) SEPT. (Month) 19 61

08-12 Moored as before. 0840 HYORA, T.P. SOGSN 903471, USN and STEVENS, R.A., TMSN, 5378244 returned to the ship having been UA since 0730 this date. 0923 CARLBY, W.J., MM3, 5105785, USN returned to the ship having been UA since 0730 this date. 1000 Made daily inspection of magazines and smokeless powder samples; condition normal.

J.W. Gallagher
LT USN

12-16 Moored as before. 1350 Rigged 8" storm lines fore and aft.

J.W. Gallagher
LT USN

16-20 Moored as before.

J.W. Gallagher
LT USN

20-24 Moored as before.

J.W. Gallagher
LT USN

APPROVED: A. W. Craig U.S.N. COMMANDING

EXAMINED: Coburn LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

3ND-P&PO 8231

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

3ND-P&PO 8231

USS ABBOT (DD 629) ZONE DESCRIPTION +4 Q DATE SATURDAY (Day) 16 (Date) SEPTEMBER (Month) 19 61

AT/~~PASSAGE~~ FROM U.S. NAVAL BASE, BERTH 141, NEWPORT, R.I.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	256	7	7	BKN	29.88	60	55						
02	156	4	7	BKN	29.92	60	55						
03	155	6	8	ScT	29.92	59	54						
04	150	6	8	ScT	29.90	59	53						
05	148	6	8	ScT	29.90	56	50						
06	138	7	8	ScT	29.90	54	48						
07	125	7	8	CLR	29.93	52	45						
08	120	6	8	CLR	29.96	55	48						
09	120	6	8	CLR	29.99	56	49						
10	130	6	8	CLR	30.00	57	50						
11	130	6	8	CLR	30.00	59	52						
12	130	6	8	CLR	30.00	59	52						
13	130	6	8	CLR	30.01	62	55						
14	135	6	8	CLR	30.01	63	55						
15	135	6	8	CLR	30.03	64	56						
16	135	6	8	CLR	30.03	63	55						
17	135	6	8	CLR	30.03	63	55						
18	159	4	8	CLR	30.04	61	54						
19	183	3	8	CLR	30.05	63	55						
20	200	3	8	CLR	30.05	64	55						
21	200	3	8	CLR	30.05	64	55						
22	200	4	8	CLR	30.09	64	55						
23	200	5	8	CLR	30.13	64	55						
24	210	3	8	CLR	30.17	62	53						

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 Moored port side to pier 1 berth 141, U.S. Naval Base, Newport, R.I. with standard destroyer lines doubled and 8" steam lines fore and aft. USS T.J. GARY (DER 326) moored alongside to starboard. Receiving miscellaneous services from the pier. Condition of readiness V and Material condition YOKE are set. Ships present include various units of the U.S. Atlantic Fleet and harbor craft. SOPA is COMDESLANT in USS YOSEMITE (AD 19).

J.M. Phillips
LT USN

04-08 Moored as before. 0745 Mustered the crew on stations; no unauthorized absentees.

J.M. Phillips
LT USN

APPROVED:

A. N. Craig U.S.N. COMMANDING

EXAMINED:

Coburn LTJG U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Abbot (DD629) SAT. (Day) 16 (Date) Sept (Month), 19 61

08-12: Moored as before. 0935 Made daily Inspection of magazines and smokeless powder samples, Conditions Normal.
C.T. Eggemeyer
Ens USNR

12-16. Moored as before.
C.T. Eggemeyer
Ens USNR

16-20 Moored as before.
C.T. Eggemeyer
Ens USNR

20-24 Moored as before.
C.T. Eggemeyer
Ens USNR

APPROVED: A. H. Craig U.S.N. COMMANDING

EXAMINED: Coburn LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

3ND-P&PO 8231

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

3ND-P&PO 8231

USS Abbot (DD629) ZONE DESCRIPTION +9 Q DATE Sunday (Day) 17 (Date) Sept (Month), 19 61

AT/~~PASSAGE FROM~~ Berth 141, U.S. Naval Base, Newport, R.I.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	210	6	8	CLR	30.21	63	54						
02	200	10	8	CLR	30.24	60	51						
03	010	15	8	CLR	30.25	57	48						
04	010	16	8	CLR	30.26	57	48						
05	020	10	8	CLR	30.26	57	48						
06	020	11	8	CLR	30.27	58	49						
07	015	11	8	CLR	30.28	59	49						
08	015	11	8	SCT	30.28	59	49						
09	015	11	8	SCT	30.28	59	49						
10	015	12	8	SCT	30.29	61	51						
11	065	13	8	SCT	30.32	64	54						
12	105	11	8	SCT	30.32	62	52						
13	105	12	8	CLR	30.36	62	52						
14	125	8	8	CLR	30.39	65	55						
15	125	5	8	SCT	30.39	65	55						
16	110	5	8	SCT	30.39	65	55						
17	110	5	8	SCT	30.38	65	55						
18	110	5	8	SCT	30.38	64	54						
19	115	5	8	CLR	30.38	63	53						
20	110	4	8	SCT	30.38	61	51						
21	125	4	8	CLR	30.39	55	45						
22	125	4	8	SCT	30.38	54	44						
23	130	6	8	CLR	30.40	53	43						
24	320	6	8	CLR	30.39	52	43						

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)

TO _____ (ZT) _____ (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 Moored port side to pier #1, U.S. Naval Base, Newport, R.I., using standard destroyer mooring lines doubled plus 8" storm lines doubled forward and aft. USS T.J. Gary (DER-326) Moored alongside to starboard. This ship on Cold Iron, receiving steam, electric power, and fresh water from the pier. Condition of Readiness Five and Material Condition Modified Yoke are set. Ships present include units of the U.S. Atlantic Fleet and local harbor craft. SOPA is ComDesLant in USS Yosemite (AD-19).

R.J. Eglund
Ens USNR

04-08 Moored as before.

C.J. Eglund
Ens USNR

APPROVED: A. H. Craig U.S.N. COMMANDING

EXAMINED: Coburn LTJG U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Abbot (DD 629) SUNDAY (Day) 17 (Date) Sept (Month) 19 61

08-12 Moored as before. 0801 Mustered the crew on stations. Absentees: None. 1028 Made daily inspection of magazines and Smokeless Powder samples. Conditions: Normal.

C T Eyerly
Ens USNR

12-16 Moored as before.

C T Eyerly
Ens. USNR

16-20 Moored as before.

C T Eyerly
Ens. USNR

20-24 Moored as before.

C.T. Eyerly
Ens. USNR

APPROVED:

A. H. Craig U.S.N. COMMANDING

EXAMINED:

Coburn LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

3ND-P&PO 8231

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-55)

DECK LOG SHEET - TYPE B

3ND-P&PO 8231

USS ABBOT (DD629) ZONE DESCRIPTION +4 Q DATE MONDAY (Day) 18 (Date) Sept (Month), 19 61

AT/~~PASSAGE FROM~~ BERTH 141, U.S. NAVAL BASE NEWPORT, R.I.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	320	6	7	ScT	30.39	52	44						
02	310	6	7	ScT	30.38	50	43						
03	290	6	7	BkW	30.36	50	43						
04	220	8	7	ScT	30.38	51	44						
05	140	5	8	ScT	30.39	51	45						
06	100	8	8	ScT	30.39	49	43						
07	110	10	8	ScT	30.41	49	43						
08	150	10	8	ScT	30.40	51	45						
09	165	10	8	ScT	30.37	55	49						
10	180	8	8	ScT	30.34	59	53						
11	180	8	8	ScT	30.32	60	54						
12	180	5	8	ScT	30.31	66	60						
13	145	5	8	ScT	30.33	73	67						
14	125	2	8	ScT	30.33	74	69						
15	075	2	8	ScT	30.32	75	70						
16	060	6	8	ScT	30.28	74	69						
17	050	3	8	ScT	30.30	72	67						
18	050	3	8	ScT	30.29	67	62						
19	045	3	8	ScT	30.28	65	60						
20	045	5	8	ScT	30.30	64	59						
21	070	5	8	ScT	30.30	61	57						
22	065	5	8	ScT	30.30	61	57						
23	055	6	8	ScT	30.30	61	57						
24	060	6	8	ScT	30.30	61	58						

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000–2400

FUEL CONSUMED 0000–2400

REMARKS

00-04 Moored port side to pier #1 at U.S. NAVAL BASE, NEWPORT, R.I. USING STANDARD DESTROYER MOORING LINES doubled plus 8" STORM LINES DOUBLED Forward and AFT USS T.J. GARY (DER 326) is moored alongside to STARBOARD. This ship is on Cold Iron, receiving steam, fresh water, and electric power from pier #1. Condition of Readiness V and modified material condition YOKE are set. Ships present include units of the U.S. ATLANTIC FLEET and local service craft. SOPA is ComDesLant aboard USS YOSEMITE (AD 19).

C.F. Ewing
ENS USN

04-08 Moored As before. 0745 mustered the crew at quarters.
Absentee: CUNDIFF, Robert J., 543 30 04, SA, USN, U/A since 0730 this date.

C.F. Ewing
ENS USNR

APPROVED: A. H. Craig U.S.N. COMMANDING

EXAMINED: Coburn LTJG U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD-629) Monday (Day) 18 (Date) Sept. (Month), 19 61

08-12 Moored as before. 0815 Cundiff, R.J. 5173004 SA USN returned aboard having been AWOL since 0730 this date. 0920 Pursuant to BuPers Msg 011635Z + 082155Z of Sep 61 Lt. Kenneth L. Wright Jr., 570377 USN, departed the ship for duty aboard U.S.S. Rachamkin (AKA-89) 1015 Made daily inspection of magazines and smokeless powder samples. Conditions normal. C

Eugene J. Gallagher
Ens USNR

12-16 Moored as before.

Eugene J. Gallagher
Ens. USNR

16-20 Moored as before. 1655 Shore facilities disconnected while moving ship thirty feet aft, in berth 141. 1804 all facilities restored.

Eugene J. Gallagher
Ens. USNR

20-24 Moored as before. 2014 Secured taking on shore steam, to repair gaskets 2145 Shore steam restored.

Eugene J. Gallagher
Ens. USNR.

APPROVED: A. H. Craig U.S.N. COMMANDING

EXAMINED: [signature] U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

3ND-P&PO 8231

C

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

3ND-P&PO 8231

USS ABBOT (DD-629) ZONE DESCRIPTION Q +4 DATE Tuesday (Day) 19 (Date) Sept. (Month), 19 61

C AT/~~PASSAGE~~ FROM Berth 141, Pier 1, U.S. Naval ~~Station~~ Base Newport, Rhode Island.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	060	5	6	BKN	30.32	62	60						
02	060	5	7	BKN	30.32	62	60						
03	060	5	6	OVC	30.32	60	58						
04	155	5	7	BKN	30.29	60	58						
05	150	5	7	BKN	30.27	60	58						
06	150	5	7	BKN	30.25	60	58						
07	150	6	7	SCT	30.25	60	58						
08	150	8	7	SCT	30.26	60	58						
09	150	8	8	SCT	30.26	60	58						
10	140	4	8	SCT	30.26	65	62						
11	140	4	8	SCT	30.24	66	63						
12	150	4	8	SCT	30.21	68	65						
13	150	4	8	SCT	30.18	68	65						
14	150	4	8	BKN	30.14	72	69						
15	150	4	8	SCT	30.14	72	69						
16	154	3	8	SCT	30.14	72	69						
17	154	3	8	BKN	30.14	70	67						
18	160	3	8	BKN	30.12	68	65						
19	225	4	8	BKN	30.13	65	62						
20	310	5	8	BKN	30.14	62	59						
21	220	5	8	SCT	30.13	62	59						
22	230	5	8	SCT	30.13	63	60						
23	220	3	8	BKN	30.12	63	61						
24	220	3	8	SCT	30.15	62	60						

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000–2400

FUEL CONSUMED 0000–2400

REMARKS

00-04 Moored portside to Pier 1, U.S. Naval Station, Newport, R.I. using standard destroyer mooring lines, doubled and 8" storm lines doubled, forward and aft. U.S.S. T.J. Gary (DER-326) moored alongside to starboard. This ship receiving steam, electric power, and fresh water from the pier. Condition of readiness II and material condition YOKE are set. Ships present include various ships of U.S. Atlantic Fleet and local surface craft. SOPA is ComDesLant aboard U.S.S. Yosemite (AD-19).

Eugene J. Gallagher
Ens. USNR.

04-08 Moored as before. 0745 Mustered the crew at quarters, absentees: Barta, G.F. 479 72 89, EM2, USN; Tighe, L.G. 523 9362, EM3, USN; Timmerson, F.P., 237 57 41, EMFN, USN, unauthorized absentees since 0730 this date.

Eugene J. Gallagher
Ens. USNR.

APPROVED: O. W. Craig U.S.N. COMMANDING

EXAMINED: Coburn LTJG U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD 629) Tuesday (Day), 19 (Date) September (Month), 19 61

08-12 Moored as before. 0813 Hurricane condition III set Narragansett Bay Area. 1012 Commenced taking on ammunition 1045 Completed taking on ammunition received 100 2" H/H projector charges 100 2" H/H impulse charges 100 Hand grenade fuses 100 Hand grenades 48 5"/38 VT non-frag. projectiles 46 5"/38 AA common projectiles and 20 3"/50 VT non-frag. projectiles. 1055 Bunta, G.F. 479-72-89 EM2, USN and Timmerson, F.P. 237 57 41 EM FN USN returned on board having been unauthorized absentees since 0730 this date. 1113 Tighe, L.G. 523 93 62 EM2 USN returned on board having been unauthorized absentee since 0730 this date. 1115 Made daily inspection of magazine and smokeless powder samples, conditions normal.

B.F. Bremer
Ltjg USN.

12-16 Moored as before.

B.F. Bremer
Ltjg USN

16-20 Moored as before. 1818 hit fires to number 1 boiler.

B.F. Bremer
Ltjg USN

20-24 Moored as before. 2045 Energized number 2 main engine. 2120. Shifted from shore power to ships power

B.F. Bremer
Ltjg USN

APPROVED: A. H. Craig U.S.N. COMMANDING

EXAMINED: Robinson U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

3ND-P&PO 6231

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

3ND-P&PO 8231

USS Abbot (DD629) ZONE DESCRIPTION Q +4 DATE Wednesday (Day) 20 (Date) September (Month), 19 61

AT/~~PASSAGE FROM~~ Berth 141, Pier 1, US Naval Base, Newport, Rhode Island

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	220	3	A	BKN	30.14	63	60						
02	220	3	A	BKN	30.12	63	60						
03	225	2	7	BKN	30.11	63	60						
04	225	2	7	BKN	30.10	63	60						
05	225	2	7	BKN	30.10	60	58						
06	225	2	7	BKN	30.10	60	58						
07	225	2	7	BKN	30.10	60	58						
08	045	2	7	OVC	30.10	64	62						
09	045	2	7	OVC	30.10	67	64						
10	045	2	7	OVC	30.08	69	64						
11	076	3	7	OVC	30.06	71	66						
12	075	4	6	OVC	30.04	71	66						
13	070	4	6	OVC	30.01	71	66						
14	070	6	6	OVC	29.98	71	66						
15	075	7	6	OVC	29.97	71	66						
16	075	7	6	OVC	29.96	71	68						
17	061	15	6	OVC	29.96	71	67						
18	044	21	6	OVC	29.94	69	66						
19	032	19	6	OVC	29.92	68	65						
20	017	16	6	RAIN	29.90	68	66						
21	017	16	6	OVC	29.88	68	66						
22	122	20	4	RAIN	29.84	67	65						
23	113	25	5	RAIN	29.80	67	65						
24	100	26	4	RAIN	29.76	67	66						

POSITION	ZONE	TIME
0800		
L		BY
λ	/N/	BY
1200		
L		BY
λ	PORT	BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)

TO _____ (ZT) _____ (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 Moored portside to pier #1 U.S. Naval Base Newport R.I. in berth 141 with standard destroyer mooring lines doubled and storm lines fore and aft. T.N. Garey DER 326 berthed outboard. Receiving fresh water and telephone services from the pier. #1 boiler and #2 main engine/generator on the line. Hurricane Condition III in effect. Ships present include various units of the U.S. Atlantic fleet and various harbor and district craft. SOPA is COMDESLANT in the USS YOSEMITE (AD 19)
0130 Rogers David W. 517 17 38 SN, USN was admitted to Newport Naval Hospital at 0100, 20 Sept. for treatment of multiple lacerations to the face resulting from an automobile accident in which ROGERS was a passenger of one of the vehicle.

B. Rhem
Ltjg USN.

APPROVED:

A. H. Craig U.S.N. COMMANDING

EXAMINED:

Coburn LTJG U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Abbot (DDG29) Wednesday 20 Sept 19 61
(Day) (Date) (Month)

04-08 Moored as before. ~~xxxx~~ lit fires under #3 boiler 0745 Mustered the crew at quarters, absentees: none.

B.F. Reuer
Lt(jg) USN.

08-12 Moored as before. 0835 Hurricane Condition II set in Narragansett Area. Commenced preparations for getting underway. 0930 Made daily inspections of magazines and smokeless powder samples; conditions normal. 0945 Set the Special Sea detail. Captain and Navigator on the bridge. 1012 T.J. GARY underway, standing clear of the pier. 1029 Underway, maneuvering to clear pier. Proceeding to Hurricane anchorage L5 with SOPA Narragansett SUB-AREA HEAVY WEATHER ORDER 1-61. 1040 C/C 325 C/S 10 Knots. 1043 C/S 15 Knots. Maneuvering on various courses while proceeding to anchorage. 1056 ~~Coddington~~ CONANICUT light abeam to port 1500 yards. Maneuvering to conform to channel. 1059 C/C 210 1103 Commenced approach on anchorage area. 1113 Anchored in Hurricane anchorage L5 U.S. Naval Base, Newport R.I. in 26 feet of water, mud bottom with 75 fathoms of chain to the port anchor on the following anchorage bearings: Conanicut Lt. 060 NAS Quonset PT. Aero beacon 345 Sanga Pt. light 300. Secured the Special Sea and Anchor detail. Set the anchor watch. High winds of Hurricane force expected within 24 hours.

B.F. Reuer
Lt(jg) USN

12-16 Anchored as before. Winds maintaining at 22 knots with gusts to 28 knots.

R Coburn
LTJG. USNR

16-18 Anchored as before.

J.M. Phillips
LT USN

18-20 Anchored as before

George T. Simmons
Ft USN

20-24 Anchored as before. Anchor under slight strain, winds from the Northeast at 20-30 Knots

B.F. Reuer
Lt(jg) USN.

APPROVED: A. H. Craig U.S.N. COMMANDING

EXAMINED: R Coburn LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

3ND-P&PO 8231

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

3ND-P&PO 8231

USS Abbot (DD629) ZONE DESCRIPTION Q +4 DATE Thursday (Day) 21 (Date) September (Month), 19 61

AT/~~PASSAGE FROM~~ Anchor in Hurricane Berth L-5, US Naval Base, Newport, R.I.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	065	28	3	Rain	29.60	67	66						
02	050	30	2	Rain	29.65	67	65						
03	055	35	1	Rain	29.54	67	66						
04	050	33	1	OVC	29.46	67	66						
05	060	24	2	Rain	29.46	67	67						
06	050	27	2	Rain	29.44	68	68						
07	065	25	1	Rain	29.38	68	68						
08	065	34	1000 YDS	Rain	29.34	68	68						
09	075	35	1000 YDS	Rain	29.32	68	68						
10	070	28	1000 YDS	Rain	29.30	68	67						
11	065	34	1000 YDS	Rain	29.28	68	67						
12	065	32	1000 YDS	Rain	29.27	68	67						
13	050	32	1	Rain	29.27	68	66						
14	045	27	1000 YDS	Rain	29.26	67	66						
15	050	23	1500 YDS	Rain	29.28	67	66						
16	080	24	1500 YDS	Rain	29.28	66	65						
17	122	27	1500 YDS	Rain	29.34	66	65						
18	030	28	3	Rain	29.40	66	65						
19	035	31	4	OVC	29.46	66	65						
20	034	28	3	OVC	29.48	66	65						
21	042	26	4	OVC	29.54	65	65						
22	030	25	4	OVC	29.56	68	68						
23	040	27	4	OVC	29.60	65	65						
24	050	27	4	OVC	29.61	65	65						

POSITION	ZONE	TIME
0800		
L		BY
λ	AT	BY
1200		
L		BY
λ	ANCHOR	BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)

TO _____ (ZT) _____ (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 Anchored in Hurricane Berth L-5, US Naval Base Newport, R.I. in 26 feet of water, mud bottom, with 75 fathoms of chain to the port anchor on the following anchorage bearings: Conanicht Lt. 060; NAS Quonset Pt. Aero Beacon 345; Sanga Pt. Lt. 300. The nearest shoal water bears 095 Range 1400 and lies off Sand Pt. Material condition Yoke Sand Hurricane Condition II set, heavy weather plan in effect. Ships in adjacent anchorages are: USS Thomas J. Gary (DER 326) N-1; USS Brownson (DD868), L-4; USS Miller (DD535), L-3; USS McNair (DD679), L-2. Intermittent squalls reduce visibility to 1500 yards. Wind is from 050 speed 30 kts with gusts to 40 kts. Seas moderate at 3 feet from NE. 0030 Hurricane Condition I set. SOPA is ComDesLant in USS Yosemite (AD19). 0200 anchor reported tending 2 o'clock, heavy strain. 0230 Maneuvering with port and starboard engines to relieve strain on anchor chain. 0250 anchor reported tending 10 o'clock, moderate strain

APPROVED: A. W. Craig U.S.N. COMMANDING

EXAMINED: Coburn LTJG U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Abbot (DD629) Thursday (Day) 21 (Date) September (Month), 19 61

0330 Anchor reported Tending 10 o'clock, light strain. 0347 Maneuvering with both engines ahead 1/3 speed, indicating RPM's for 3 knots to maintain minimum strain on anchor chain. Weather reports indicate possibility of winds up to 50 knots by mid-morning.

Roburn
LTJG USNR

04-08 Anchored as before. 0745 Mustered the crew at quarters, fair weather; no unauthorized absentees.

Jas Phillips
LT USN

08-12 Anchored as before. 0900 Commenced swing between 15 and 20 RPM on both shafts in order to put a slight strain on the anchor chain. 1000 Made daily inspection of magazine and smokeless powder samples. Conditions normal.

George T. Simmons
Ltjg USN

12-16. Anchored as before. Maintaining 15 RPMs both ~~BFR~~ sha ~~t~~ ~~t~~ ~~d~~. Anchor under moderate strain. Wind BFR from the Northeast ~~from~~ at 25-35 knots.

BF Reimer
LTJG USN

16-18 Anchored as before. Maintaining 15 RPM's both engines. Winds from NNE at 20-30 knots. Sea state 5 on Beaufort scale.

Roburn
LTJG USNR

18-20 Anchored as before.

Jas Phillips
LT USN

20-24 Anchored as before. 2000 Stop engines. Secured the inductors.

George T. Simmons
Ltjg USN

APPROVED: A. H. Craig U.S.N. COMMANDING

EXAMINED: Roburn LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

SND-P&PO 8231

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

3ND-P&PO 8231

USS ABBOT DD629 ZONE DESCRIPTION +4Q DATE Fri (Day) 22 (Date) SEPT. (Month), 19 61

C AT/~~PASSAGE FROM~~ P Anchor in Hurricane Berth L-5, US Naval Base, Newport, R.I.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	065	24	4	OVC	29.64	65	63						
02	070	25	4	OVC	29.66	65	64						
03	037	20	5	OVC	29.68	65	64						
04	037	20	5	OVC	29.68	65	64						
05	083	24	5	OVC	29.70	65	64						
06	010	25	5	OVC	29.72	66	64						
07	008	18	5	OVC	29.74	65	64						
08	345	15	5	OVC	29.73	65	64						
09	345	20	5	OVC	29.73	66	65						
10	300	15	5	OVC	29.74	66	65						
11	345	10	4	Haze	29.74	66	66						
12	345	15	4	OVC	29.74	67	66						
13	025	10	4	OVC	29.80	69	66						
14	095	12	4	OVC	29.79	70	68						
15	070	12	4	OVC	29.80	70	68						
16	065	13	5	OVC	29.82	71	68						
17	075	8	4	OVC	29.82	71	68						
18	095	5	4	OVC	29.84	72	69						
19	095	5	4	OVC	29.84	70	67						
20	065	5	4	OVC	29.82	68	66						
21	065	5	4	OVC	29.82	66	64						
22	095	8	4	OVC	29.82	66	64						
23	095	8	3	Fog	29.83	66	64						
24	095	8	3	Fog	29.84	63	61						

POSITION	ZONE	TIME
0800		
L		BY
λ AT		BY
1200		
L		BY
λ ANCHOR		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)

TO _____ (ZT) _____ (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-A Anchored in Berth L5, U.S. Naval Base Newport R.I in 26 feet of water, mud bottom with 75 fathoms of chain to the port Anchor, on the following anchorage bearings: NAS Quonset PT. Aero Beacon 345, Poplar Pt. Lt. 300 Conanicut Lt. 058. Material condition Yoke and condition of readiness four use set. Engineering Department on one hours notice before getting underway. Hurricane Condition IV in effect. Anchor detail set. Wind from 25-30 knots from 070. Weather forecast indicates Hurricane has dissipated and remainder force of storm passing out to seaward. Ships present include various units of the U.S. Atlantic Fleet at Hurricane anchorages and various harbor and district craft. SOPA is COMDESLANT in the USS YOSEMITE at anchorage #5.

B T Bremer
Ltjg USN.

APPROVED:

A. H. Craig U.S.N. COMMANDING

EXAMINED:

Robinson LTJG U.S.N. NAVIGATOR

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD 629) FRI (Day) 22 (Date) SEPT. (Month) 19 61

04-08 Anchored as before. 0530 Stationed the special sea and anchor Detail. 0606 Underway in accordance with SOPA Narabay msg NOTG to proceed to Pier 1. Captain and Navigator on the bridge; Captain at the Conn. 0615 Connecticut Lt abeam to starboard. 0620 C/C 153 :/s 15 knots. 0628 C/C 160. 0635 Commenced approach to pier 0644 Moored portside to Pier 1 Berth #141 US Naval Base Newport RI with standard destroyer mooring lines doubled.

Coburn
LTJG USNR

08-12 Moored as before. 1000 Made daily inspection of magazine and smokeless powder samples. Conditions normal. 0845 Mustered the crew at quarters (foul weather parade) absentees: none. C C

Eugene J. Gallagher
Ens. USNR

12-16 Moored as before. 1403 Held fire drill. 1413 Secured from fire drill Egs.

Eugene J. Gallagher
Ens. USNR.

16-20 Moored as before.

Eugene J. Gallagher
Ens. USNR.

20-24 Moored as before.

Eugene J. Gallagher
Ens. USNR

APPROVED:

A. H. Craig U. S. N. COMMANDING

EXAMINED:

Coburn LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABBOT DD 629 ZONE DESCRIPTION +4Q DATE SAT. (Day) 23. (Date) SEPT (Month), 1961

AT/~~PASSAGE FROM~~ U.S. Naval ~~Station~~ Base, Newport, R.I. ~~TO~~ Pier 1 Berth 141

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	120	8	.5	Fog	29.86	65	63						
02	120	5	.5	Fog	29.86	65	63						
03	145	5	.5	Fog	29.86	66	63						
04	160	10	1	Fog	29.84	62	59						
05	160	10	1	Fog	29.84	62	59						
06	180	6	1	Fog	29.84	63	60						
07	170	6	1	Fog	29.84	63	60						
08	170	8	2	Haze	29.86	67	64						
09	115	8	3	Haze	29.90	67	64						
10	075	8	4	Haze	29.92	67	64						
11	035	8	5	Ovc	29.94	67	64						
12	345	7	5	Ovc	29.92	71	68						
13	340	8	4	Ovc	29.90	74	70						
14	345	10	5	Ovc	29.88	74	70						
15	345	10	6	Ovc	29.85	76	72						
16	345	10	6	Bkn	29.85	76	72						
17	345	10	6	Bkn	29.85	76	72						
18	354	10	6	Bkn	29.85	76	72						
19	350	6	6	Bkn	29.86	76	72						
20	345	4	6	Bkn	29.86	70	66						
21	345	2	6	Sct	29.88	69	65						
22	345	3	6	Bkn	29.90	67	64						
23	070	6	5	Ovc	29.91	67	64						
24	035	10	5	Ovc	29.91	65	62						

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) (Date)
TO _____ (ZT) (Date)
SET _____
DRIFT _____

POSITION BETWEEN FIXES

MID. L _____
MID. λ _____

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

REMARKS

00-04 Moored portside to Pier 1 in Berth 141 at U.S. Naval Station, Newport R.I. with standard destroyer mooring lines doubled, and storm lines fore and aft. Condition of readiness I and Material Condition Yoke are set. Ships present include various units of U.S. Atlantic fleet and local service craft. This ship receiving various services from the pier. SOPA is ComDesLant aboard U.S.S. Yosemite. (AD-19)

Eugene J. Gallagher
Ens. USNR.

04-08 Moored as before. 0745 Mustered the crew at quarters. No unauthorized absentees.

Eugene J. Gallagher
Ens. USNR.

APPROVED: O. W. Craig U. S. N. COMMANDING

EXAMINED: Coburn LTJG U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD629) Sat (Day) 23 (Date) SEP (Month), 1961

08-12 Moored as before 1000 Made daily inspection of magazines and smokeless powder samples; conditions normal.

B F Bremer
Lt(jg) USN

12-16 Moored as before

B F Bremer
Lt(jg) USN

16-20. Moored as before, 1805 Shifted from ships power to shore power Secured no. #1 boiler and no. #1 ships service generator.

B F Bremer
Lt(jg) USN

20-24 Moored as before.

B F Bremer
Lt(jg) USN

APPROVED: A. H. Craig U.S.N. COMMANDING

EXAMINED: [signature] LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

3ND-P&PO 8231

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

3ND-P&PO 8231

USS ABBOT (DD629) ZONE DESCRIPTION Q74 DATE SUN (Day) 24 (Date) SEP (Month), 19 61

AT/PASSAGE FROM NEWPORT, R.I., Pier 1 Berth 141, US Naval Base

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	065	10	3	Fog	29.90	66	64						
02	070	10	2	Fog	29.90	65	64						
03	032	10	3	Fog	29.91	64	63						
04	030	10	2	Fog	29.92	64	63						
05	023	8	3	Fog	29.92	64	63						
06	010	8	4	Fog	29.93	64	63						
07	345	7	6	OVC	29.92	65	63						
08	345	7	6	OVC	29.92	65	63						
09	300	7	6	OVC	29.91	66	64						
10	345	6	7	OVC	29.90	67	65						
11	300	6	7	BKN	29.90	67	65						
12	355	6	7	BKN	29.91	68	65						
13	025	5	7	BKN	29.89	68	65						
14	095	5	7	BKN	29.89	68	65						
15	095	4	7	SCT	29.90	67	64						
16	068	5	6	BKN	29.90	67	64						
17	010	5	5	OVC	29.91	67	64						
18	010	6	5	OVC	29.91	66	63						
19	025	8	4	Fog	29.92	66	63						
20	030	8	3	Fog	29.92	66	63						
21	040	11	3	Fog	29.92	65	62						
22	050	15	2	Fog	29.91	65	63						
23	050	15	2	Fog	29.91	65	63						
24	050	15	2	Fog	29.90	65	63						

POSITION	ZONE	TIME
0800		
L		BY
λ	IN	BY
1200		
L		BY
λ	PORT	BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 Moored portside to pier #1 in berth 141 at U.S. NAVAL Base Newport R.I. using standard destroyer mooring lines doubled and storm lines fore and aft! Condition of readiness I and material condition Yoke are set. Ships present include various units of the U.S. ATLANTIC fleet and Norfolk harbor and Restricted draft. SOPA is COMDESLANT in the USS YOSEMITE (AD 19)

B.T. Bremer
Ltjg USN.

04-08 Moored as before. 0745 Mustered the crew on Stations; absentees, none

B.T. Bremer
Ltjg USN

APPROVED: A. W. Craig U.S.N. COMMANDING

EXAMINED: [signature] LTJG U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT DD629 SUN (Day) 24 (Date) SEP (Month), 19 61

08-12 Moored as before. 1000 Made daily inspection of magazines and smokeless powder samples; conditions Normal

B T Reuss
Lt(jg) USN

12-16 Moored as before.

B T Reuss
Lt(jg) USN

16-20 Moored as before

B T Reuss
Lt(jg) USN

20-24 Moored as before.

B T Reuss
Lt(jg) USN

APPROVED: A. H. Craig U.S.N. COMMANDING

EXAMINED: [signature] LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

3ND-P&PO 8231

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

3ND-P&PO 8231

USS ABBOT DD629 ZONE DESCRIPTION Q DATE MON (Day) 25 (Date) SEP (Month), 19 61

AT/PASSAGE FROM NEWPORT, R.I. Pier 1, Berth 141, US Naval Base

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	030	10	3	Fog	29.89	65	64						
02	050	10	3	Fog	29.89	65	64						
03	050	10	3	Fog	29.89	64	64						
04	050	10	3	Rain	29.89	64	64						
05	050	12	3	Rain	29.88	64	64						
06	061	14	3	Rain	29.88	64	64						
07	061	10	3	Rain	29.87	64	64						
08	060	12	3	OVC	29.86	65	65						
09	050	13	2	OVC	29.85	65	65						
10	045	9	2	Haze	29.82	66	65						
11	045	13	4	OVC	29.79	67	66						
12	040	11	4	OVC	29.76	67	66						
13	040	15	4	OVC	29.72	68	67						
14	035	17	3	Rain	29.69	67	67						
15	040	15	3	Rain	29.67	68	68						
16	045	12	3	Rain	29.65	67	67						
17	045	12	3	Rain	29.63	67	67						
18	040	12	2	Rain	29.62	67	67						
19	040	12	2	Rain	29.61	67	67						
20	050	12	2	Rain	29.60	67	67						
21	050	15	2	Rain	29.60	67	67						
22	050	17	2	Rain	29.60	67	67						
23	050	16	2	Rain	29.60	67	67						
24	050	16	2	Rain	29.60	66	66						

POSITION	ZONE	TIME
0800		
L		BY
λ	IN	BY
1200		
L		BY
λ	PORT	BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

0000-04 Moored portside to pier #1 in berth 141 at the U.S. NAVAL Base, Newport R.I. with standard destroyer mooring lines doubled and storm lines fore and aft. Condition 3 readiness V and material condition Yoke are set. Ships present include various units of the U.S. ATLANTIC FLEET and various harbor and destruct craft. SOPA is COMDESLANT in the USS YOSEMITE (AD 19)

B. F. Drew
Ltjg USN

0400-0800 Moored as before. 0645. Mooney John F RD2 517 69 67 USN returned on board, having been UA since 0730 11 SEP 1961 a period of about 14 days. 0745 Mustered the crew at quarters absentees: Reedy, GARRY A. 543 29 06 FN USN since 0730 this date.

B. F. Drew
Ltjg USN

APPROVED:

A. H. Craig U.S.N. COMMANDING

EXAMINED:

Coburn LTJG U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Abbot (DD629) Monday (Day) 25 (Date) September (Month), 19 61

08-12 Moored as before. 1035 Made daily inspection of magazines And Smokeless Powder Samples. Conditions Normal. 1137 Recieved YOG 62 Alongside to Starboard.

C 7 Eggum
En USNR

12-16 Moored as before. 1247 REEDY, GARY A., FA 543 29 06 USN, Returned Aboard having been U/A since 0730 this date.

C 7 Eggum
En USNR

16-20. Moored as before. 1700 USS BROWNSON DD 868 moored Alongside to Starboard.

C 7 Eggum
En USNR

20-24 Moored as before.

C 7 Eggum
En USNR

APPROVED: A. N. Craig U. S. N. COMMANDING

EXAMINED: Coburn LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS Abbot (DD629) ZONE DESCRIPTION Q +4 DATE Tuesday (Day) 26 (Date) September (Month), 1961

AT/~~PASSAGE FROM~~ Berth 14, U.S. Naval ~~Sta.~~ Base ~~TO~~ Newport, R.I.

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	060	14	2	Rain	29.60	66	66						
02	060	12	2	Rain	29.60	65	65						
03	075	10	2	Fog	29.62	64	64						
04	125	3	4	Haze	29.62	67	66						
05	180	3	6	Bkn	29.62	70	68						
06	195	7	7	Bkn	29.66	70	68						
07	165	3	7	Bkn	29.70	70	68						
08	180	3	7	Bkn	29.74	72	69						
09	180	3	7	Bkn	29.74	74	70						
10	180	3	7	Bkn	29.75	75	70						
11	180	3	7	Bkn	29.76	75	70						
12	180	3	7	Bkn	29.76	75	70						
13	180	7	7	Sct	29.79	79	72						
14	205	8	7	Bkn	29.81	78	70						
15	205	6	7	Sct	29.83	80	73						
16	205	6	7	Bkn	29.85	75	70						
17	205	6	7	Sct	29.87	75	70						
18	205	6	7	Sct	29.89	72	68						
19	205	6	7	Bkn	29.91	70	66						
20	200	6	7	Bkn	29.91	70	66						
21	205	5	6	Bkn	29.92	69	66						
22	200	6	6	Ovc	29.93	67	64						
23	200	6	6	Ovc	29.94	66	64						
24	200	7	5	Ovc	29.95	66	64						

POSITION	ZONE	TIME
0800		
L		BY
λ	IN	BY
1200		
L		BY
λ	PORT	BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)
TO _____ (ZT) _____ (Date)
SET _____
DRIFT _____

POSITION BETWEEN FIXES

MID. L _____
MID. λ _____

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

REMARKS

00-04 Moored port side to Pier 1, U.S. Naval Station, Newport, R.I., using standard destroyer mooring lines doubled and storm lines forward and aft. USS Brownson (DD 868) is moored alongside to starboard. Condition of Readiness V and Material Condition Modified Yoke are set. Ships present include various units of the U.S. Atlantic fleet and local service craft. SOPA is ComDesLant in USS Yosemite (AD-19).

C.F. Egan
Ens USNR

04-08 Moored as before. 0745 mustered the crew at Quarters.
Absentees: None.

C.F. Egan
Ens. USNR

APPROVED:
A. H. Craig U. S. N. COMMANDING

EXAMINED:
Coburn LTJG U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD 629) TUES. (Day) 26 (Date) SEPT (Month), 1961

08-12 Moored as before. ~~0900~~ 0845 BOGARS N.A. JR, 475-27-41, USN returned on board having been UA since 0730 this date. 0900 RADM W. E. WEAKLEY, USN COMDESSLANT haul down his flag and departed the area. COMDESRON 2 in USS DAVIS (DD 937) assumed duties as SOPA NARRABAY SUBAREA. 1000 Made daily inspection of magazines and smokeless powder samples, Conditions normal.

J. F. Culligan
LT USN

12-16 Moored as before.

J. F. Culligan
LT USN

16-20 Moored as before.

J. F. Culligan
LT USN

20-24 Moored as before.

J. F. Culligan
LT USN

APPROVED: A. H. Craig U. S. N. COMMANDING

EXAMINED: L. Coburn LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABBOT (DD 629) ZONE DESCRIPTION +4 Q DATE WEDNESDAY (Day) 27 (Date) SEPTEMBER (Month), 19 61

~~AT/PASSAGE FROM~~ BERTH 141 U.S. NAVAL ~~STATION~~ Base TO NEWPORT, R. I.

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	120	5	6	OVC	29.89	65	62						
02	125	5	6	OVC	29.89	65	62						
03	130	6	6	BKN	29.89	64	61						
04	130	7	6	BKN	29.89	65	62						
05	135	7	6	BKN	29.90	65	62						
06	140	7	6	BKN	29.90	66	63						
07	140	6	7	BKN	29.91	66	63						
08	315	4	7	SCT	30.02	65	62						
09	330	4	7	SCT	30.04	65	62						
10	330	3	7	SCT	30.06	68	65						
11	330	3	7	SCT	30.06	75	71						
12	330	3	7	SCT	30.06	75	71						
13	330	3	7	SCT	30.03	76	72						
14	330	3	7	SCT	30.00	76	72						
15	330	4	8	SCT	30.00	77	73						
16	185	4	8	SCT	30.00	74	70						
17	185	4	8	SCT	30.00	69	65						
18	185	3	8	SCT	30.00	67	64						
19	200	3	8	SCT	30.00	67	64						
20	180	3	7	SCT	30.00	65	62						
21	181	3	7	SCT	30.00	65	62						
22	180	3	7	BKN	30.00	65	62						
23	190	5	7	BKN	30.00	65	62						
24	245	3	7	BKN	29.98	60	57						

POSITION	ZONE	TIME
0800		
L		BY
λ	IN	BY
1200		
L		BY
λ	PORT	BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED
0000–2400

FUEL CONSUMED
0000–2400

REMARKS

00-04 Moored port side to pier 1, berth 141 U.S. NAVAL ~~BASE~~ STATION, NEWPORT R.I., in a nest of two destroyers with ~~of~~ standard destroyer lines doubled and a 8 inch ~~stern~~ line forward and aft. USS BRONSON (DD868) moored outboard to starboard. Receiving miscellaneous services from the pier. Condition of readiness ~~X~~ and material condition YOKE due set. SOPA is COMDESRON 12 in USS DAVIS (DD 937). Ships present include various units of the U.S. Atlantic Fleet and harbor craft.

J. B. Phillips
LT USN

04-08 Moored as before. 0745 Mustered the crew at quarters; no unauthorized absentees.

J. B. Phillips
LT USN

APPROVED:

A. H. Craig U. S. N. COMMANDING

EXAMINED:

Coburn LTJG U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT DD629 WED (Day) 27 (Date) SEP (Month) 19 61

08-12 Moored as before. 1050 Made daily inspection of magazines and smokeless powder samples: conditions normal.

B T Bremer
Ltjg USN

12-16 Moored as before.

B T Bremer
Ltjg USN

16-20 Moored as before

B T Bremer
Ltjg USN

20-24 Moored as before.

B T Bremer
Ltjg USN

APPROVED: A. H. Craig U. S. N. COMMANDING

EXAMINED: Robinson LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABBOT (DD629) ZONE DESCRIPTION +4(Q) DATE 28 (Day) (THUR) (Date) SEP (Month), 1961

AT/~~PASSAGE FROM~~ Pier #1, Berth 141, US ~~TO~~ Naval Base, Newport, R.I.

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	295	2	7	BKN	29.98	60	57						
02	295	2	7	BKN	29.98	60	57						
03	295	2	8	BKN	29.98	60	57						
04	295	2	8	SCT	29.98	60	57						
05	295	2	8	SCT	29.97	63	59						
06	295	2	8	SCT	29.96	63	59						
07	295	2	8	CLR	29.96	64	59						
08	270	2	8	CLR	29.96	65	60						
09	270	2	8	CLR	29.94	65	60						
10	270	2	8	CLR	29.94	65	60						
11	270	2	8	CLR	29.92	70	65						
12	270	2	8	CLR	29.92	75	70						
13	310	10	8	CLR	29.89	72	67						
14	310	5	8	CLR	29.89	72	67						
15	300	5	8	CLR	29.89	72	67						
16	120	5	8	CLR	29.88	71	66						
17	120	5	8	CLR	29.87	71	66						
18	125	6	8	CLR	29.87	71	66						
19	180	6	8	CLR	29.87	69	64						
20	323	2	8	CLR	29.85	68	63						
21	303	2	8	CLR	29.84	67	62						
22	308	2	8	SCT	29.85	64	59						
23	333	2	8	SCT	29.88	64	59						
24	330	2	8	SCT	29.89	62	57						

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L	IN	BY
λ		BY
2000		
L	PORT	BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) (Date)
TO _____ (ZT) (Date)
SET _____
DRIFT _____

POSITION BETWEEN FIXES

MID. L _____
MID. λ _____

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 Moored Port side to pier 1 berth 141 U.S. NAVAL BASE NEWPORT R.I. in a nest of two destroyers with standard destroyer lines doubled and stern lines fore and aft. USS BOWNSON (DD868) moored alongside to starboard. Receiving miscellaneous services from the pier. Condition of readiness IV and material condition YOKE are set. SOPA is ~~Commanding Officer~~ Comdes Ron 12 in USS Davis (DD937) ~~USS WACCAMAW (AO109) at pier #2~~. Ships present include various units of the U.S. ATLANTIC FLEET and various harbor and district craft. 0100 Reynolds D.A. FN 492 90 82 USN and SIMPSON, W. A. FA 290 02 60 USN were returned on board by local shore patrol having been appended for drunkness by civil authorities

B.F. Brem
Lt(jg) USN

04-08 Moored as before. Mustered the crew at quarters, absentees: none.

B.F. Brem
Lt(jg) USN

APPROVED:

A. H. Craig U. S. N. COMMANDING

EXAMINED:

Coburn LTJG U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD-629) Thursday (Day) 28 (Date) Sept (Month), 19 61

08-12 Moored as before. 0833 COMFAIR QUONSET relieved Com Des Ron 12 as SOPA Morro Bay Sub Area 0920 Made daily inspection of magazine and smokeless powder samples. Conditions normal.

Eugene J. Gallagher
Ens. USNR

12-16 Moored as before.

Eugene J. Gallagher
Ens. USNR

16-20 Moored as before. 1615 Shifted from ship to shore power. 1645 Held fire drill 1655 Secured from fire drill.

Eugene J. Gallagher
Ens. USNR

20-24 Moored as before.

Eugene J. Gallagher
Ens. USNR

APPROVED: A. W. Craig U. S. N. COMMANDING

EXAMINED: Coburn LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABBOT (DD-629) ZONE DESCRIPTION Q + 4 DATE Friday (Day) 29 (Date) Sept. (Month), 19 61

AT/~~PASSAGE~~ FROM Berth 141 Pier 1 U.S. Naval ~~TO~~ ~~Station~~ Base, Newport, R.I.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	330	3	8	ScT	29.90	61	57						
02	310	3	8	ScT	29.91	61	57						
03	315	3	8	ScT	29.91	60	56						
04	315	2	8	ScT	29.93	60	56						
05	315	4	8	ScT	29.95	60	56						
06	320	4	8	Clr	29.96	59	55						
07	325	4	8	ScT	29.97	59	55						
08	330	2	8	Clr	29.97	60	55						
09	330	1	8	Clr	29.98	62	57						
10	330	3	8	ScT	29.99	65	60						
11	335	3	8	ScT	30.01	67	62						
12	345	2	8	ScT	30.03	68	63						
13	345	2	8	ScT	30.05	68	63						
14	350	2	8	BKN	30.08	69	63						
15	350	2	8	ScT	30.10	68	63						
16	350	2	8	BKN	30.12	68	63						
17	350	2	7	ScT	30.14	67	62						
18	345	3	7	BKN	30.15	65	60						
19	355	3	7	BKN	30.17	65	60						
20	355	3	8	ScT	30.17	65	60						
21	013	4	7	BKN	30.18	66	61						
22	009	5	7	BKN	30.18	66	61						
23	018	4	7	OVC	30.19	67	62						
24	020	3	7	BKN	30.20	67	63						

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)

TO _____ (ZT) _____ (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

REMARKS

00-04 Moored port side to Pier 1, in Berth 141, at U.S. Naval Station, Newport, R.I., with standard destroyer mooring lines, doubled, and storm lines fore and aft. U.S.S. Brownson (DD868) moored alongside to starboard. Condition of readiness II and Material condition YOKE are set. This ship receiving steam, freshwater, power from the pier. Other ships present include various units of U.S. Atlantic fleet and local service craft. SOPA is Comfair Quonset.

Eugene J. Gallagher
Ens. USNR

04-08 Moored as before. 0553 #4 Boiler on the line. 0630 Set off Zepo. 0745 Mustered the crew at quarters. No unauthorized absentees.

Eugene J. Gallagher
Ens. USNR

APPROVED:

A. W. Craig U. S. N. COMMANDING

EXAMINED:

[signature] LTJG U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Abbot (DD629) FRIDAY (Day) 29 (Date) Sept (Month), 1961

08-12 Moored as before. 1015 Made daily inspection of Magazines and Smokeless Powder Samples. Conditions Normal.

C7 Eggers
Ens. USNR

12-16 Moored as before. 1430 Summary Court-Martial in the case of MEENY, John F., RD2, USN, convened. 1514 Summary Court-Martial in the case of MEENY, John F, RD2, USN, adjourned to await the action of the Convening Authority.

C7 Eggers
Ens USNR

16-20 Moored as before. 1600 USS Calcaterra DER 390 moored outboard of USS Brownson.

C7 Eggers
Ens. USNR

20-24 Moored as before.

C7 Eggers
Ens USNR.

APPROVED:

A. W. Craig U. S. N. COMMANDING

EXAMINED:

Robinson U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS Abbot (DD629) ZONE DESCRIPTION +4 DATE Saturday (Day) 30 (Date) September (Month), 19 61

AT/~~PASSAGE FROM~~ Berth 141, U.S. Naval ~~Base TO~~ Newport, R.I.

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	025	3	7	BKN	30.22	66	62						
02	025	3	7	BKN	30.23	65	61						
03	000	6	7	BKN	30.23	58	54						
04	025	6	8	BKN	30.21	51	52						
05	025	4	8	BKN	30.22	55	51						
06	025	4	8	BKN	30.23	56	52						
07	025	4	8	SCT	30.22	56	52						
08	028	3	8	BKN	30.23	56	51						
09	060	3	8	SCT	30.24	57	52						
10	058	4	8	SCT	30.25	59	54						
11	059	5	8	SCT	30.25	60	55						
12	180	3	8	CLR	30.24	66	60						
13	200	2	8	CLR	30.25	66	60						
14	220	5	8	CLR	30.26	67	61						
15	260	3	8	CLR	30.26	68	62						
16	340	3	8	CLR	30.26	68	62						
17	340	2	8	CLR	30.25	68	62						
18	180	3	8	CLR	30.24	67	61						
19	180	3	8	SCT	30.24	67	61						
20	180	3	8	CLR	30.27	67	61						
21	180	3	8	SCT	30.29	64	59						
22	180	2	8	SCT	30.30	64	59						
23	180	2	8	SCT	30.31	64	59						
24	178	2	8	SCT	30.31	62	57						

POSITION	ZONE	TIME
0800		
L		BY
λ	IN	BY
1200		
L		BY
λ	PORT	BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 Moored port side to Pier One, U.S. Naval Station, Newport, R.I., using standard mooring lines and storm lines. USS Brownson DD868 and USS Calcaterra DER390 are moored outboard. This ship receiving all services from the pier. Condition of Readiness Five and Material Condition Modified Yoke are set. Ships present include units of the U.S. Atlantic Fleet and local service craft. SOPA is C.O., USS Cascade (AD-16)

C.T. Eggen
Ens USNR

04-08 Moored as before. 0745 Mustered the crew at quarters. Absentees: None.

C.T. Eggen
Ens. USNR.

APPROVED:

A. H. Craig U. S. N. COMMANDING

EXAMINED:

U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD 629) SAT (Day) 30 (Date) SEPT (Month), 19 61

08-12 Moored as before. 1000 Made daily inspection of emergency and smokeless samplers; condition normal.

J. R. Phillips
LT USN

12-16 Moored as before. 1200 The convening authority, Commanding Officer, of the Summary Court-Martial in the case of MOONEY, J. F., RD2, USN, ordered executed that part of the sentence which called for 30 days restriction to the limits of the ship.

J. R. Phillips
LT USN

16-20 Moored as before. 1720 USS CALCATERRA (DER 390) got underway from the west and shifted berths.

J. R. Phillips
LT USN

20-24 Moored as before.

J. R. Phillips
LT USN

APPROVED: A. H. Craig U. S. N. COMMANDING

EXAMINED: [signature] 1706 U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6